

 **CCPC ANIMAL HEALTH DIVISION**
2020 PRODUCT CATALOG



CCPC

Animal Health Division
China Chemical & Pharmaceutical Co., Ltd.

The heart with a passion for animals, the road covered with health

Nutritional supplement

Ephepan	W.S.Powder	1
SYT-SV	Powder	1
SYT-SM	Powder	2
Plexomin Fe20	Granulate	2
Plexomin Zn29	Granulate	3
Plexomin Mn22	Granulate	3
Better-E120	Powder	4
CDC-A1	Powder	4
CDC-A2	Powder	5
Ephepan-M	Powder	5
SGC-A5-1	Powder	6
Eugurt-SPC supplement	Powder	6
Acidtec 401	Powder	7
Bacispore	Powder	7
Bacispore	Powder	8
Detoxol	W.S.Powder	8
EUBIO-BASE	Powder	9
Genspore	Powder	9
Herb-All COCC-X	Powder	10
InduceAcid-S	Powder	10
Realdyme	Powder	11
Vilocym Z	Powder	11
Reliever	Solution	12
SangroMix ML	Powder	12
Sangrovit 60	Powder	13
Sangrovit Extra	Powder	13



Nutritional supplement

Sangrovit RS	Powder	14
Sangrovit WS	W.S.Powder	14
Silyvita	Powder	15
Silyvita	Solution	15
YOCA	Powder	16



Nutritional supplement

Vitamin supplement feed additives



Ephepan[®]

SYT-SV[®]

Product No. E170765
 Dosage Form W.S.Powder
 Package 1kg/Bag

Product No. P611845
 Dosage Form Powder
 Package 20kg/Bag

Ingredients

Each kg contains:
 Vit.A....10,000,000I.U.,Vit.D3....1,000,000I.U.
 Vit.E....1,500I.U.,Vit.B1....5gm,Vit.B2....5gm
 Vit.B6....1gm,Vit.B12....5.5mg,Vit.C....10gm
 Vit.K3....1.5gm,Panto.....8gm,Niacin....10gm

Ingredients

Each kg contains:
 Vit.A....15,000,000I.U.,Vit.D3....1,200,000I.U.
 Vit.E....45,000I.U.,Vit.K3....3gm
 Vit.B1....3gm,Vit.B2....7gm
 Vit.B6....6gm,Vit.B12....48mg
 Niacin....35gm,Panto.....25gm
 Biotin....0.2gm,Folic acid....2.0gm

Dosage and Administration

Fish: Add 1,000gm-1,500gm Ephepan into 1 ton of pond water.
 Poultry: Add 0.5-1.0gm Ephepan into each 1L of drinking water.
 Liverstock: Add 1.0gm Ephepan into each 1L of drinking water.

Dosage and Administration

Breeder: Add 0.6kg to per ton of feed.
 Piglet: Add 0.8kg to per ton of feed.
 Growing and Finisher: Add 0.5kg to per ton of feed.

Nutritional supplement

Mineral supplement feed additives



SYT-SM[®]

Plexomin Fe20[®]

Product No. P612877
 Dosage Form Powder
 Package 25kg/Bag

Product No. N171260-60
 Dosage Form Granulate
 Package 25kg/Bag

Ingredients

Each kg contains:
 Fe....125gm,Zn....90~100gm
 Mn....15gm,Cu....20~23gm
 I....1gm,Se....0.3gm
 Co....0.3gm

Ingredients

Dosage and Administration

Breeder: Add 0.7kg to per ton of feed.
 Piglet: Add 0.8kg to per ton of feed.
 Growing and Finisher: Add 0.5kg to per ton of feed.

Nutritional supplement

Mineral supplement feed additives



Plexomin Zn29[®]

Product No. N172467-60
Dosage Form Granulate
Package 25kg/Bag

Ingredients



Plexomin Mn22[®]

Product No. N171277-60
Dosage Form Granulate
Package 25kg/Bag

Ingredients

Nutritional supplement

Multiple vitamin and mineral supplement



Better-E120[®]

CDC-A1[®]

Product No. P612987
 Dosage Form Powder
 Package 20kg/Bag

Product No. E050456
 Dosage Form Powder
 Package 20kg/Bag

Ingredients

Each kg contains:
 Vit.E....120,000I.U.,Biotin....0.06gm
 Folic acid....2.0gm,Org.Fe....40.0gm
 Org.Zn....18.0gm,Org.Mn....8.0gm
 Org.Se....0.2gm,Cr3....0.4gm
 Bacillus coagulans....1x10E12cfu

Ingredients

Each kg contains:
 Vit.A....500,000I.U.,Vit.D3....100,000I.U.
 Vit.E....500I.U.,Fe....302mg,Cu....255mg
 Mn....456mg,Zn....1,205mg,Co....12.4mg
 I....38.2mg,Ca....57.5gm,P....45gm
 Probiotic

Dosage and Administration

Add 0.5kg to per ton of feed.



Dosage and Administration

Milk cow:50gm per dose twice a day of feed additive.
 Milk goat: 20gm per dose twice a day of feed additive.

Nutritional supplement

Multiple vitamin and mineral supplement





	
<p>CDC-A2[®]</p>	<p>Ephepan-M[®]</p>
<p>Product No. E053552 Dosage Form Powder Package 20kg/Bag</p>	<p>Product No. E170837 Dosage Form Powder Package 20kg/Bag</p>
<p>Ingredients Each 2kg contains: Vit.A....7,000,000I.U., Vit.D3....1,000,000I.U. Vit.E....15,000I.U., Fe....50gm, Cu....10gm Mn....60gm, Zn....60gm, Co....0.1gm I....0.6gm, Ca....250gm, P....0.1gm Probiotic</p>	<p>Ingredients Multi-vitamin and minerals</p>
<p>Dosage and Administration Milk cow: 2kg per ton of feed additive. Milk goat: 0.4kg per ton of feed additive.</p>	<p>Dosage and Administration Fish: Add 0.5-1.0kg to per ton of feed. Poultry: Add 1.0-2.0kg to per ton of feed. Liverstock: Add 1.0-3.0kg to per ton of feed.</p>

Nutritional supplement

Multiple vitamin and mineral supplement



	
<p>SGC-A5-1 [®]</p>	<p>Eugurt-SPC supplement [®]</p>
<p>Product No. E172602 Dosage Form Powder Package 20kg/Bag</p>	<p>Product No. P613328 Dosage Form Powder Package 20kg/Bag</p>
<p>Ingredients Multi-vitamin and minerals</p>	<p>Ingredients Each 20kg contains: Vitamin and mineral complex, L-Lysine, DL-Methionine, natural enzyme complex, phytase, natural plant extraction, essential oil.</p>
<p>Dosage and Administration Breeder: Add 1kg to per ton of feed. Prestarter: Add 1.5kg to per ton of feed.</p>	<p>Dosage and Administration ◎Avoiding deficiency of vitamin and mineral ◎Raising the feed conversion ratio and improving growth. Add 20 kg of this product per ton of piglet feed.</p>

Nutritional supplement

Other preparations



Acidtec 401[®]

Bacispore[®]

Product No. N170678-6
 Dosage Form Powder
 Package 25kg/Bag

Product No. N170805-60
 Dosage Form Powder
 Package 1kg/Bag

Ingredients

Each kg contains:
 Fumaric acid...375g
 Lactic acid...180g
 Formic acid...100g
 Propionic acid...40g
 Citric acid...10g
 Bentonite and Silica dioxide

Ingredients

Each gm contains:
 Bacillus subtilis.....1.0×10⁹ CFU/g
 Bacillus subtilis natto.....2.0×10⁸ CFU/g
 Bacillus licheniformis.....2.0×10⁸ CFU/g
 Bacillus coagulans.....2.0×10⁸ CFU/g

Dosage and Administration

Use at amount of 3-5 Kg/Ton feed.



Dosage and Administration

Piglet feed: Add 0.5-1.0 kg per ton of feed
 Growing pig feed: Add 0.4-0.8 kg per ton of feed
 Fattening pig feed: Add 0.3-0.6 kg per ton of feed
 Sow feed: Add 0.3-0.6 kg per ton of feed
 Cattle feed: Add 0.3-0.6 kg per ton of feed
 Poultry feed: Add 0.5-1.0 kg per ton of feed
 Shrimp feed Add 0.8-1.2 kg per ton of feed
 Eel feed: Add 0.8-1.2 kg per ton of feed
 Other fish feed: Add 0.5-1.0 kg per ton of feed

Nutritional supplement

Other preparations





	
<p>Bacispore®</p>	<p>Detoxol®</p>
<p>Product No. N170252-60 Dosage Form Powder Package 25kg/Bag</p>	<p>Product No. N170032 Dosage Form W.S.Powder Package 1kg/Bag</p>
<p>Ingredients Each gm contains: Bacillus subtilis.....1.0×10⁹ CFU/g Bacillus subtilis natto.....2.0×10⁸ CFU/g Bacillus licheniformis.....2.0×10⁸ CFU/g Bacillus coagulans.....2.0×10⁸ CFU/g</p>	<p>Ingredients Each gm contains: Sorbitol....350mg,Mg....0.48mg Na....57.78mg,Ca....0.54mg K....4.19mg,Cl....78.94mg</p>
<p>Dosage and Administration Piglet feed: Add 0.5-1.0 kg per ton of feed Growing pig feed: Add 0.4-0.8 kg per ton of feed Fattening pig feed: Add 0.3-0.6 kg per ton of feed Sow feed: Add 0.3-0.6 kg per ton of feed Cattle feed: Add 0.3-0.6 kg per ton of feed Poultry feed: Add 0.5-1.0 kg per ton of feed Shrimp feed Add 0.8-1.2 kg per ton of feed Eel feed: Add 0.8-1.2 kg per ton of feed Other fish feed: Add 0.5-1.0 kg per ton of feed</p>	<p>Indications 1. Replenish electrolytes, ensures balanced nutrition. 2. Enhances the vitality and physical strength of poultry, prevents steatosis, dehydration, hyperuricacidemia, and various stress symptoms. 3. Prevent enlargement of kidneys due to precipitation of uric acid.</p> <p>Dosage and Administration 1. Replenish electrolytes and reduces stress: Add 1kg to each ton of drinking water (1:1000 dilution); let drink for 3-5 consecutive days. 2. Prevent kidney enlargement, uric acid precipitation, and dehydration: Add 2kg-5kg of this product to each ton of drinking water (1:200-1:500 dilution); let drink for 3-5 consecutive days</p>

Nutritional supplement

Other preparations



	
<p>EUBIO-BASE®</p>	<p>Genspore®</p>
<p>Product No. P172524-60 Dosage Form Powder Package 1kg/Bag</p>	<p>Product No. P612509-60 Dosage Form Powder Package 1000gm/Bag</p>
<p>Ingredients</p>	<p>Ingredients Each gm contains: Bacillus coagulans.....1.0×10⁹ CFU/gm</p>
	<p>Dosage and Administration Dairy cow: Add 0.5 kg per ton of feed. And for the cow at the beginning of the lactation, it should put this product 1 kg for 3-5 days. Or add 16 gm for each cow everyday. Calve: Add 5 gm in feeding milk. Breeding Pigs: add 0.3-0.6 kg per ton of feed. Piglets and fattening pigs: add this product 0.3-1.0 kg per ton of feed. Chick and broiler: add 0.5-1.0 kg per ton of feed. After birth of chick, it should be applied 1 kg per ton of feed for 3-5 days. Then add this product once every 5 days.</p>

Nutritional supplement

Other preparations



Herb-All COCC-X[®]

InduceAcid-S[®]

Product No. N171710-60

Dosage Form Powder

Package 20kg/Bag

Product No. N171693-60

Dosage Form Powder

Package 25kg/Bag

Ingredients

Ingredients

Nutritional supplement

Other preparations



Realdyme[®]

Product No. E170071-60
 Dosage Form Powder
 Package 25kg/Bag

Ingredients

Dosage and Administration

Piglets, Broilers, Turkeys and Calves:1%
 Growing pig:0.5%
 Rabbits: 1 to 2%
 Guinea and sows: 2%

Vilocym Z[®]

Product No. N170685-60
 Dosage Form Powder
 Package 25kg/Bag

Ingredients

Each kg contains:
 HSCAS, Natural zeolite....285.7g
 MOS, Mannan oligo saccharide....142.9g
 Propionic acid....17.2g
 Acetic acid....5.7g
 Copper sulphate pentahydrate....11.5g
 PVP, Polyvinyl pyrrolidone....5.8g
 Poly-herbal formulation....480.4g

Dosage and Administration

0.75-1.75 kg per tonne of feed.

Nutritional supplement

Other preparations



Reliever[®]

Product No. N281781-60
 Dosage Form Solution
 Package 1L/Btl

Ingredients

Made from various natural plant extract, and eucalyptus and peppermint essential oil.

Indications

1. Use it when the feeding environment changing or climate change dramatically.
2. Use it before or after vaccination.

Dosage and Administration

1. Use 0.5 L-1 L per ton drinking water
2. Use it according to the prescription of veterinarian.

SangroMix ML[®]

Product No. N171820-60
 Dosage Form Powder
 Package 20kg/Bag

Ingredients

Nutritional supplement

Other preparations



Sangrovit 60[®]

Sangrovit Extra[®]

Product No. P614051
 Dosage Form Powder
 Package 25kg/Bag

Product No. N171291-60
 Dosage Form Powder
 Package 5kg/Bag

Ingredients

Granulated plant ingredients of finely ground *Macleaya cordata* with natural extract of *Macleaya cordata*
 Each kg contains: natural extract of *Macleaya cordata* 180 gm

Ingredients

Indications

- Anti-inflammatory properties
- Improved amino acid availability
- Improved carcass quality
- Higher growth performance
- Improved litter weight gain

Dosage and Administration

Improvement of performance: 0.4 – 0.5 kg / t feed.
 Improvement of performance and additional effect: 0.5 – 1.0 kg / t feed.
 Inappropriate(e.q.: stress, pathogen pressure): 1.0 – 1.5 kg / t feed.

Nutritional supplement

Other preparations



Sangrovit RS[®]

Product No. N170984-60
 Dosage Form Powder
 Package 25kg/Bag

Ingredients

Sangrovit WS[®]

Product No. N170843-60
 Dosage Form W.S.Powder
 Package 50gm/Bag

Ingredients

Nutritional supplement

Other preparations



Silyvita[®]

Product No. N170276-60
 Dosage Form Powder
 Package 1kg/Bag

Ingredients
 Iridoid Glycoside

Indications
 Enhance the liver function and bile secretion, Prevent the damaged of liver function. Reducing the dysfunction of reproduction caused by stress and strengthening the immune system.

Dosage and Administration
 1 kg per tonne of feed.

Silyvita[®]

Product No. P612145-60
 Dosage Form Solution
 Package 1L/Btl

Ingredients
 Extract of Iridaceae plant.

Indications
 Enhance the liver function and bile secretion, Prevent the damaged of liver function. Reducing the dysfunction of reproduction caused by stress and strengthening the immune system.

Dosage and Administration
 Add 0.5-1 L per ton drinking water.

Nutritional supplement

Other preparations



YOCA[®]

Product No. P171877-60

Dosage Form Powder

Package 1kg/Bag

Ingredients



CCPC

CCPC Animal Health Division

<http://www.ccpc.com.tw>



China Chemical & Pharmaceutical Co., Ltd. (Headquarters)

Address : No.23, Xiangyang Rd., Zhongzheng Dist., Taipei 100, Taiwan R.O.C.

Phone : +886-2-2312-4239

CCPC Animal Health Division

Address : No.46, Gongye W. Rd., Guantian Dist., Tainan City 720, Taiwan R.O.C.

Phone : +886-6-698-6691 • +886-698-6694-5

email : jason-wang@ccpc.com.tw

Fax : +886-6-6935031